



# KROMAGLAS

WATERWORKS

GLASS TILE

# KROMAGLAS

The beauty of high-gloss Kromaglas tiles brings light to life in any space. This versatile collection includes a dazzling array of 27 shapes— from mosaic grids, to a skid-resistant floor tile, modern two-foot planks and complex architectural trims. In the tradition of fine Austrian glassmaking, pigments are fused with glass, resulting in ten jewel-toned shades of flawless character and brilliance. The calibrated, 8mm-thick field tiles work seamlessly with ceramic tile to offer a myriad of design possibilities.



FIELD TILE IN POOL  
6" x 6" (3/8")

## KROMAGLAS PALETTE



SNOW



SAGE



BUTTER



LAGOON



NEPTUNE



MANDARIN



ROYAL



JET



SADDLE



**KROMAGLAS CONCEPT**

*Danube Rail in Snow, Field Tile in Snow, Lagoon and Neptune*

**KROMAGLAS FIELD**



**FIELD TILE**  
4" x 4" ( $\frac{3}{8}$ "")  
STYLE NO. 351383



**FIELD TILE**  
3" x 6" ( $\frac{3}{8}$ "")  
STYLE NO. 316438



**FIELD TILE**  
6" x 6" ( $\frac{3}{8}$ "")  
STYLE NO. 479581



**FIELD TILE**  
4" x 12" ( $\frac{3}{8}$ "")  
STYLE NO. 874313



**FIELD TILE**  
12" x 12" ( $\frac{3}{8}$ "")  
STYLE NO. 800554



**FIELD TILE**  
4" x 8" ( $\frac{3}{8}$ "")  
STYLE NO. 966625



**FIELD TILE**  
8" x 8" ( $\frac{3}{8}$ "")  
STYLE NO. 892740



**FIELD TILE**  
16" x 16" ( $\frac{3}{8}$ "")  
STYLE NO. 003959

KROMAGLAS FIELD & ARCHITECTURAL ELEMENTS



**LINER**  
1" x 12" (3/8")  
STYLE NO. 048423



**LINER**  
1" x 8" (3/8")  
STYLE NO. 845623



**LINER**  
1" x 16" (3/8")  
STYLE NO. 677941



**LINER**  
1 1/2" x 8" (3/8")  
STYLE NO. 981323



**FIELD TILE**  
4" x 16" (3/8")  
STYLE NO. 435303



**FIELD TILE**  
8" x 16" (3/8")  
STYLE NO. 200286



**FIELD TILE**  
12" x 24" (3/8")  
STYLE NO. 216133

KROMAGLAS TRIM, ARCHITECTURAL ELEMENTS & MOSAICS



**QUARTER ROUND**  
1" x 8" (1")  
STYLE NO. 782819



**BEAK**  
1" x 1" (1")  
STYLE NO. 351826



**ENNS DOME LINER**  
1" x 8" (1/2")  
STYLE NO. 337464



**ENNS OUTCORNER**  
1" x 1" (1")  
STYLE NO. 337464



**ENNS UPTURN/DOWNTURN**  
1" x 1" (1/2")  
STYLE NO. 337464




**DANUBE RAIL**  
2" x 8" (1/2")  
STYLE NO. 915714



**DANUBE OUTCORNER**  
2" x 2" (1 1/4")  
STYLE NO. 915714



**DANUBE DOWNTURN**  
2" x 2" (1/2")  
STYLE NO. 915714




**GRID MOSAIC**  
1" x 1" SQUARE  
STYLE NO. 240988



**GRID MOSAIC**  
2" x 2" SQUARE  
STYLE NO. 591793



**RUNNING BOND MOSAIC**  
1" x 2" BRICK  
STYLE NO. 776607



**STACKED MOSAIC**  
1" x 2" BRICK  
STYLE NO. 673171

ALL FIELD, TRIM, ARCHITECTURAL ELEMENTS & MOSAICS ARE SHOWN AT 25% OF ACTUAL SIZE IN NEPTUNE.  
ALL DIMENSIONS ARE NOMINAL. SEE SPECIFICATION SUMMARY ON BACK COVER FOR ACTUAL DIMENSIONS.  
MOSAICS ARE SOLD AS 11 1/4" x 11 1/4" SHEETS.

## KROMAGLAS TILE SPECIFICATION SUMMARY

STYLE NAME	NOMINAL DIMENSION H x W (THK)	ACTUAL DIMENSION H x W (THK)	UNIT OF MEASURE	STYLE NO.
<b>FIELD</b>				
FIELD TILE	4" x 4" ( <sup>3</sup> / <sub>8</sub> "	3 <sup>7</sup> / <sub>8</sub> " x 3 <sup>7</sup> / <sub>8</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	351383
FIELD TILE GRANULAR	4" x 4" ( <sup>3</sup> / <sub>8</sub> "	3 <sup>7</sup> / <sub>8</sub> " x 3 <sup>7</sup> / <sub>8</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	351383
FIELD TILE	6" x 6" ( <sup>3</sup> / <sub>8</sub> "	5 <sup>13</sup> / <sub>16</sub> " x 5 <sup>13</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	479581
FIELD TILE	8" x 8" ( <sup>3</sup> / <sub>8</sub> "	7 <sup>13</sup> / <sub>16</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	892740
FIELD TILE	12" x 12" ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	800554
FIELD TILE	16" x 16" ( <sup>3</sup> / <sub>8</sub> "	15 <sup>11</sup> / <sub>16</sub> " x 15 <sup>11</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	003959
FIELD TILE	3" x 6" ( <sup>3</sup> / <sub>8</sub> "	5 <sup>13</sup> / <sub>16</sub> " x 2 <sup>7</sup> / <sub>8</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	316438
FIELD TILE	4" x 8" ( <sup>3</sup> / <sub>8</sub> "	3 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	966625
FIELD TILE	4" x 12" ( <sup>3</sup> / <sub>8</sub> "	3 <sup>7</sup> / <sub>8</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	874313
FIELD TILE	4" x 16" ( <sup>3</sup> / <sub>8</sub> "	3 <sup>7</sup> / <sub>8</sub> " x 15 <sup>11</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	435303
FIELD TILE	8" x 16" ( <sup>3</sup> / <sub>8</sub> "	7 <sup>13</sup> / <sub>16</sub> " x 15 <sup>11</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	200286
FIELD TILE	12" x 24" ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 23 <sup>9</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	SF	216133
<b>TRIM</b>				
QUARTER ROUND	1" x 8" (1")	15 <sup>1</sup> / <sub>16</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>15</sup> / <sub>16</sub> "	PC	782819
BEAK	1" x 1" (1")	15 <sup>1</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>16</sub> " ( <sup>15</sup> / <sub>16</sub> "	PC	351826
<b>ARCHITECTURAL ELEMENTS</b>				
LINER	1" x 8" ( <sup>3</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>16</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	PC	845623
LINER	1 <sup>1</sup> / <sub>2</sub> " x 8" ( <sup>3</sup> / <sub>8</sub> "	1 <sup>3</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	PC	981323
LINER	1" x 12" ( <sup>3</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>16</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>5</sup> / <sub>16</sub> "	PC	048423
LINER	1" x 16" ( <sup>3</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>16</sub> " x 15 <sup>11</sup> / <sub>16</sub> " ( <sup>5</sup> / <sub>16</sub> "	PC	677941
DANUBE RAIL	2" x 8" ( <sup>1</sup> / <sub>2</sub> "	1 <sup>7</sup> / <sub>8</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>9</sup> / <sub>16</sub> "	PC	915714
DANUBE OUTCORNER	2" x 2" (1 <sup>1</sup> / <sub>4</sub> "	1 <sup>7</sup> / <sub>8</sub> " x 1 <sup>3</sup> / <sub>16</sub> " (1 <sup>3</sup> / <sub>16</sub> "	PC	915714
DANUBE DOWNTURN	2" x 2" ( <sup>1</sup> / <sub>2</sub> "	1 <sup>7</sup> / <sub>8</sub> " x 1 <sup>7</sup> / <sub>8</sub> " ( <sup>9</sup> / <sub>16</sub> "	PC	915714
ENNS DOME LINER	1" x 8" ( <sup>1</sup> / <sub>2</sub> "	15 <sup>1</sup> / <sub>16</sub> " x 7 <sup>13</sup> / <sub>16</sub> " ( <sup>7</sup> / <sub>16</sub> "	PC	337464
ENNS OUTCORNER	1" x 1" (1")	15 <sup>1</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>16</sub> " ( <sup>15</sup> / <sub>16</sub> "	PC	337464
ENNS UPTURN/DOWNTURN	1" x 1" ( <sup>1</sup> / <sub>2</sub> "	15 <sup>1</sup> / <sub>16</sub> " x 15 <sup>1</sup> / <sub>16</sub> " ( <sup>7</sup> / <sub>16</sub> "	PC	337464
<b>MOSAICS</b>				
GRID 1 x 1	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	SH	240988
GRID 2 x 2	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	SH	591793
RUNNING BOND	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	SH	776607
STACKED	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	11 <sup>3</sup> / <sub>4</sub> " x 11 <sup>3</sup> / <sub>4</sub> " ( <sup>3</sup> / <sub>8</sub> "	SH	673171

## KROMAGLAS DESIGN AND SPECIFICATION NOTES

**UNIQUE CHARACTERISTICS:** THIS IS A CLEAR, SHINY AND SMOOTH GLASS TILE. ALL TILES ARE SHINY EXCEPT FOR THE NON-SKID SURFACE OF THE GRANULAR FIELD TILE. THE TILES' ABILITY TO BE CUT, SNAPPED OR DRILLED, CREATES THE POSSIBILITY FOR VISUALLY SUPERIOR GLASS INSTALLATIONS. COLOR PIGMENTS ARE MELTED INTO THE GLASS TO ELIMINATE CORROSION OR DISTORTION OVER TIME. THE BACKS OF THE TILES HAVE A DOUBLE COATING SO THAT TROWEL MARKS WILL NOT SHOW THROUGH. EACH PIECE IS MADE USING PATENTED PRODUCTION METHODS AND IS CAREFULLY CALIBRATED FOR A GREATER LEVEL OF CONSISTENCY IN SIZE AND THICKNESS. TILES ARE 8MM THICK, MAKING THEM COMPATIBLE WITH MANY STONES AND CERAMIC TILES. VARIATION LEVEL 2 (UNIFORM; DIFFERENCE AMONG PIECES OF SAME PRODUCTION ARE MINIMAL). MOSAICS ARE PAPER-MESH MOUNTED.

**AREAS OF USE:** RECOMMENDED FOR BOTH INDOOR AND OUTDOOR AREAS IN TROPICAL OR SUB-TROPICAL CLIMATES, ON FLOORS, WALLS, LIGHT COUNTERS, WET AREAS AND SWIMMING POOLS.

**SAMPLING:** TO REQUEST A SAMPLE PLEASE VISIT ONE OF OUR SHOWROOMS OR CALL 800.899.6757.

**ORDERING:** ITEMS ARE IN STOCK AND NORMALLY READY TO SHIP WITHIN 6 BUSINESS DAYS, F.O.B. GEORGIA. ALL FIELD TILES AND MOSAICS ARE SOLD ONLY BY THE FULL BOX AND MUST BE ORDERED IN INCREMENTS ACCORDINGLY (PLEASE CONTACT YOUR CONSULTANT TO CONFIRM TILE QUANTITY PER BOX). WATERWORKS RECOMMENDS OVERAGE OF 10-15% FOR ALL PRODUCT ORDERS.

**SPECIFICATION:** TO SPECIFY THIS PRODUCT PLEASE LIST THE FOLLOWING INFORMATION: STYLE NAME, NOMINAL DIMENSION, UNIT OF MEASURE, STYLE NUMBER AND COLOR. REFER TO THE KROMAGLAS TILE SPECIFICATION SUMMARY ABOVE.

**INSTALLATION:** IT IS THE PURCHASER'S RESPONSIBILITY TO INSPECT ALL TILE PRIOR TO INSTALLATION. PLEASE NOTE THAT INSTALLATION CONSTITUTES ACCEPTANCE. GLASS TILE REQUIRES SPECIFIC INSTALLATION PROCEDURES TO ENSURE THAT NO SHADOWING (GHOSTING) OCCURS. WATERWORKS RECOMMENDS USING A LICENSED AND EXPERIENCED GLASS TILE SETTER, WHO WILL BLEND ANY COLOR VARIATION BY DRY-LAYING THE TILE PRIOR TO INSTALLATION. THIS WILL ENSURE A PLEASING OVERALL LOOK AND SERVE AS A PREVIEW OF TILE PLACEMENT. SANDED AND UNSANDED GROUT CAN BE USED WITH A SUGGESTED GROUT JOINT OF <sup>1</sup>/<sub>8</sub>". PLEASE FOLLOW DETAILED INSTALLATION INSTRUCTIONS INCLUDED IN EVERY SHIPMENT OR INSTALL ACCORDING TO THE TCNA RECOMMENDATIONS - WWW.TILEUSA.COM. SEAL THE GROUT JOINTS WITH *MIRACLE SEALANTS POROUS PLUS* AFTER INSTALLATION.

**CARE AND MAINTENANCE:** TILE SHOULD BE CLEANED REGULARLY WITH A MILD, PH NEUTRAL, NON-ABRASIVE CLEANING PRODUCT SUCH AS *MIRASOAP* FROM *MIRACLE SEALANTS*. REAPPLY *POROUS PLUS* SEALER TO JOINT GROUTS PERIODICALLY AS NEEDED. WHEN WATER NO LONGER BEADS UP ON JOINTS, RESEALING IS REQUIRED.

©2008 WATERWORKS IS A REGISTERED TRADEMARK OF WATERWORKS INC., PRINTED 10.08.  
WATERWORKS DESIGN SERVICES, 180 VARICK STREET, NEW YORK, NY 10014



PRINTED ON FSC CERTIFIED PAPER. FSC CERTIFICATION APPLIES TO PRODUCTS THAT CONTAIN FIBER FROM WELL-MANAGED FORESTS INDEPENDENTLY CERTIFIED IN ACCORDANCE WITH THE RULES OF THE FOREST STEWARDSHIP COUNCIL.

**WATERWORKS.COM**  
**CATALOG DIRECT 800.899.6757**

## CONTACT

For further information,  
please contact a Waterworks  
Sales Consultant at a nearby  
location or call us at  
800.899.6757

For a Waterworks sales  
consultant outside of our  
markets, international  
inquiries, or direct sales  
please call our catalog team  
at 800.899.6757 or our UK  
showroom at  
+44 (0)207.384.4000

For an online catalog  
please go to [waterworks.com](http://waterworks.com)

## SHOWROOMS

ATLANTA  
1 West Paces Ferry Rd  
Atlanta, GA 30305  
P 404.266.1080 F 404.266.9055

BOSTON  
One Design Center Place, Suite 147  
Boston, MA 02210  
P 617.951.2496 F 617.951.2498

CHICAGO  
222 Merchandise Mart Plaza, Suite 136  
Chicago, IL 60654  
P 312.527.4668 F 312.527.1490

DALLAS  
1525 Hi Line Drive, Suite A  
Dallas, TX 75207  
P 214.749.0465 F 214.749.0481

DENVER  
601 S. Broadway, Suite X  
Denver, CO 80209  
P 303.282.6800 F 303.282.4311

GEORGETOWN  
3314 M Street NW  
Washington, DC 20007  
P 202.333.7180 F 202.333.7207

GREENWICH  
23 West Putnam Avenue  
Greenwich, CT 06830  
P 203.869.7766 F 203.869.7629

LONDON  
579-581 King's Road  
London, England  
SW6 2EH  
P +44 (0)207.384.4000

LOS ANGELES  
8431 Melrose Place  
Los Angeles, CA 90069  
P 310.289.5211 F 310.289.1028

MIAMI  
167 NE 39th Street  
Miami, FL 33137  
P 305.573.7593 F 305.573.7460

NYC 58TH STREET  
215 East 58th Street  
New York, NY 10022  
P 212.371.9266 F 212.371.9263

NYC FLATIRON  
7 East 20th Street  
New York, NY 10003  
P 212.254.6025 F 212.254.6069

NYC KITCHEN  
979 3rd Avenue, Suite 134  
(Entrance on 59th Street)  
New York, NY 10022  
P 212.371.9266 F 212.371.9263

SAN FRANCISCO  
235 Kansas Street  
San Francisco, CA 94103  
P 415.431.7160 F 415.431.7387

SCOTTSDALE  
4234 N. Craftsman Court, Suite 2  
Scottsdale, AZ 85251  
P 480.946.2550 F 480.946.2584

## BOUTIQUE PARTNERS

BIRMINGHAM, AL  
LA JOLLA, CA  
JACKSONVILLE, FL  
JUPITER, FL  
TAMPA, FL  
WEST PALM BEACH, FL  
KETCHUM, ID  
LEXINGTON, KY  
LOUISVILLE, KY  
BLOOMFIELD HILLS, MI  
HARBOR SPRINGS, MI  
MINNEAPOLIS, MN  
ST. LOUIS, MO  
CHARLOTTE, NC  
RALEIGH, NC  
COLUMBUS, OH  
CLEVELAND, OH  
OKLAHOMA CITY, OK  
PORTLAND, OR  
CHARLESTON, SC  
HARDEEVILLE, SC  
AUSTIN, TX  
SAN ANTONIO, TX  
SALT LAKE CITY, UT  
BELLEVUE, WA  
JACKSON, WY  
CALGARY, AB, CANADA  
TORONTO, ON, CANADA  
VANCOUVER, BC, CANADA  
MONTREAL, QC, CANADA  
MUNICH, DE, GERMANY

## COMMERCIAL & HOSPITALITY

For commercial interests please contact:  
Commercial and Hospitality  
60 Backus Avenue  
Danbury, CT 06810  
P 203.546.6196 F 203.546.6001  
[waterworks.com/commercial](http://waterworks.com/commercial)

Waterworks is a registered trademark of Waterworks Operating Company, LLC.  
*While Waterworks uses reasonable efforts to include accurate and up-to-date information and photographs in the catalog and on the website, Waterworks makes no warranties or representations as to the accuracy of this information and these photographs. Waterworks assumes no liability or responsibility for any errors or omissions in the content or photographs in the catalog or on the website.*